

# July 1, 2021 Premium Formulary Exclusions & Preferred Specialty Prior Authorization Requirements

Updated  
June 28, 2021

Therapeutic Category	Excluded Medications		Preferred Alternatives
<b>ALLERGIC REACTIONS</b>			
Anaphylaxis Treatment	Auvi-Q (0.15mg, 0.3mg)		epinephrine injection (0.15mg, 0.3mg)
<b>ANALGESICS</b>			
Non-Steroidal Anti-Inflammatory Agents	Oral	Cambia, Diclofenac Cap 35mg (M), Zipsor, Zorvolex	celecoxib, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin
		Qmiiz ODT	meloxicam
		Relafen DS	nabumetone
	Other	Ketorolac Nasal Spray (M), Sprix Nasal Spray	diclofenac, ibuprofen, meloxicam
	Topical	Diclofenac Patch (M), Flector, Licart, Pennsaid, Voltaren gel	diclofenac gel/solution
Pain	Opioid combinations	Apadaz, Benzhydrocodone/acetaminophen	hydrocodone/acetaminophen, oxycodone/acetaminophen
	Oral Long-Acting Opioid Analgesics	Arymo ER, Kadian ER 200 mg, Nucynta ER, Oxycodone ER (M)	hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER
		Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M)	tramadol ER
	Oral Short-Acting Opioid Analgesics	Nucynta	codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl
Qdolo		tramadol	

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications		Preferred Alternatives
<b>ANALGESICS</b>			
Pain	Transmucosal Fentanyl Analgesics	Abstral, Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys	fentanyl citrate lozenge
Skeletal Muscle Relaxants	Norgesic Forte, Orphengesic Forte (M)		orphenadrine tab, aspirin
	Ozobax		baclofen
<b>ANTIBACTERIALS, ORAL</b>			
Oral Antibiotics	Doryx 80mg, Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira		doxycycline, minocycline
<b>ANTICONVULSANTS</b>			
Seizure Disorders	Lamictal ODT Kit		lamotrigine ODT
	Oxtellar XR <sup>1</sup>		oxcarbazepine IR
<b>ANTIDEPRESSANTS</b>			
Antidepressants	Bupropion XL (M) <sup>1</sup> , Forfivo XL <sup>1</sup>		bupropion XL
<b>ANTIFUNGALS, ORAL</b>			
Oral Antifungals	Tolsura		itraconazole cap
<b>ANTIHEMOPHILIACS</b>			
Hemophilia A	Esperoct <sup>1</sup>		Adynovate, Afstyla, Elocate, Jivi
<b>ANTIMIGRAINES</b>			
CGRP Antagonists	Ajovy		amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Emgality
	Reyvow		Nurtec ODT, Ubrovly
Serotonin Receptor Agonists	Onzetra Xsail, Tosymra, Zembrace Symtouch		rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT
<b>ANTIPARKINSON AGENTS</b>			
Parkinson's Disease	Gocovri, Osmolex ER		amantadine
<b>ANTIPSYCHOTICS</b>			
Atypical/Second Generation Antipsychotics	Secuado <sup>1</sup>		aripiprazole, asenipine, olanzapine, quetiapine, quetiapine ER, paliperidone ER, risperidone, ziprasidone
<b>ANTIVIRALS</b>			
Hepatitis-C drugs	Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M)		Epclusa, Harvoni, Mavyret, Vosevi

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>ANTIVIRALS</b>		
HIV drugs	Descovy <sup>2</sup> , Temixys <sup>1</sup>	Please talk to your doctor about clinically appropriate options.
<b>AUTONOMIC &amp; CENTRAL NERVOUS SYSTEM</b>		
Attention Deficit Disorder	Adhansia XR	methylphenidate ER, Vyvanse
Interferon Beta Medications for Multiple Sclerosis	Extavia <sup>1</sup> , Plegridy <sup>1</sup> , Rebif <sup>1</sup> , Rebif Rebidose <sup>1</sup>	Avonex, Betaseron
<b>CARDIOVASCULAR</b>		
Cholesterol-Lowering Agents	Livalo, Zypitamag	atorvastatin, fluvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin
Hypertension	Inderal XL, Innopran XL	propranolol ER
	Kaspargo	metoprolol ER
	Conjupri, Katerzia	amlodipine
Hypertension with Osteoarthritis	Consensi	amlodipine, celecoxib
<b>CHEMOTHERAPY AGENTS</b>		
Alkylating Agents	Belrapzo, Bendamustine, Treanda	Please talk to your doctor about clinically appropriate options.
Antiandrogens	Erleada <sup>1</sup> , Yonsa <sup>1</sup>	
Combination Agents	Inqovi <sup>1</sup>	
HER-2 Inhibitors	Herzuma, Ontruzant	
Kinase Inhibitors	Gavreto <sup>1</sup> , Tabrecta <sup>1</sup>	
Methyltransferase Inhibitors	Tazverik <sup>1</sup>	
Monoclonal Antibodies	Ogivri, Truxima	
Miscellaneous	Darzalex Faspro	
<b>CONTRACEPTIVES</b>		
Gel	Phexxi	Please talk to your doctor about clinically appropriate options.
Oral	Lo Loestrin	june1 FE, larin FE, microgestin FE, tarina FE

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>CONTRACEPTIVES</b>		
Oral	Slynd	camila, incassia, nora-be, norethindrone, norlyda, norlyroc
Patch	Twirla	levonorgestrel/ethinyl estradiol combined generic oral contraceptive, Xulane
Vaginal ring	Annovera	etonogestrel-ethinyl estradiol vaginal ring
<b>CORTICOSTEROIDS</b>		
Oral Steroids	Alkindi Sprinkle	hydrocortisone
	Hemady	dexamethasone
	Rayos	prednisone
<b>DERMATOLOGICAL AGENTS</b>		
Topical Acne Treatment	Avita, Differin lotion	adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08%
	Aklief, Aktipak, Clindagel, Clindamycin phosphate 1% gel(M), Dapsone 7.5% (M), Veltin	adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Aczone 7.5%, Amzeeq, Epiduo Forte, Onexton
	Arazlo, Fabior, Tazorac, Tazarotene foam 1% (M)	tazarotene cream
Topical anesthetics	ZTlido	lidocaine patch
Topical Antifungals	Jublia	ciclopirox, tavaborole, terbinafine, Kerydin
Topical Antiinfectives	Noritate cream	ivermectin 1%, metronidazole cream/gel/lotion, Finacea, Soolantra
Topical Corticosteroids	ALA Scalp lotion	hydrocortisone
	Apexicon E cream	fluocinonide, betamethasone
	Capex shampoo	flucinolone acetonide scalp oil, Derma-Smothe/FS
	Cordran tape	flurandrenolide

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>DERMATOLOGICAL AGENTS</b>		
Topical Corticosteroids	Halobetasol foam(M), Lexette	betamethasone, clobetasol, halobetasol cream/ointment
	Halog ointment	betamethasone, mometasone, triamcinolone
	Impeklo lotion	betamethasone, clobetasol
	Impoyz cream	clobetasol
	Pandel cream	flurandrenolide, hydrocortisone valerate, triamcinolone acetonide
	Psorcon cream, Verdeso foam	betamethasone, fluocinonide
	Trianex oint 0.05%	hydrocortisone valerate, triamcinolone acetonide
	Ultravate lotion	clobetasol propionate, fluocinonide, halobetasol propionate
Topical Immune Response Modifier	Imiquimod cream pump 3.75% (M), Zyclara Pump	imiquimod
Topical Plaque Psoriasis	Calcipotriene foam 0.005% (M), Sorilux	calcipotriene
	Duobrii lotion	clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar
<b>DIABETES</b>		
Blood Glucose Meters, Test Strips and Control Solutions	<b>Examples:</b> Abbott (FreeStyle, Precision), Arkray(Glucocard), Lifescan (Onetouch), Trividia, (TRUEtest, TRUEtrack), Roche (Accu-Chek)	Ascencia (Contour, Contour Next)
Continuous Glucose Monitoring (CGM)	Freestyle Libre	Dexcom
Blood Sugar Regulators Miscellaneous	metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release	metformin ER
Dipeptidyl Peptidase-4 (DPP4) Inhibitors & Combinations	Alogliptin(M), Alogliptin with metformin(M), Alogliptin with pioglitazone(M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni	Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta
Basal insulins	Basaglar, Levemir, Semglee, Tresiba	Lantus, Toujeo
Glucagon-Like Peptide-1 (GLP1) Agonists	Adlyxin	Bydureon, Bydureon BCise, Byetta, Ozempic, Rybelsus, Trulicity, Victoza
Insulins	Novolin	Humulin

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>DIABETES</b>		
Rapid-acting insulins	Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog	Humalog, Lyumjev
Sodium-glucose co-transporter (SGLT2) Inhibitors - Single agent	Invokana, Steglatro	Farxiga, Jardiance
Sodium-glucose co-transporter (SGLT2) inhibitors - Combination agents	Invokamet, Invokamet XR, Segluromet	Synjardy, Synjardy XR, Xigduo XR
SGLT2 and DPP4 Combinations	QTERN, Steglujan	Glyxambi, Trijardy XR
<b>ENDOCRINE (OTHER)</b>		
Growth Hormones	Genotropin, Humatrope, Omnitrope, Saizen, Zomacton	Norditropin, Nutropin
Infertility	Gonal-F, Gonal-F RFF	Follistim AQ
	Cetrotide	ganirelix (made by Organon)
Nocturia	Noctiva	desmopressin, Nocurna
Testosterone Replacement	Aveed, Jatenzo, Natesto, Testopel	testosterone, Androderm, Xyosted
<b>ENZYME DISORDERS</b>		
Duchenne Muscular dystrophy (DMD)	Exondys 51, Vyondys 53	dexamethasone, methylprednisolone, prednisone
<b>GASTROINTESTINAL</b>		
Anti-Diarrheal Agents	Motofen	diphenoxylate/atropine, loperamide
Antiemetics	Sancuso patch	granisetron solution/tablet, ondansetron ODT
Anti-Inflammatory, Anti-Ulcer Agents	Duexis	famotidine, ibuprofen
Irritable Bowel Syndrome with Constipation/ Chronic Idiopathic Constipation (IBS-C/CIC)	Amitiza, Lubiprostone (M), Trulance	Linzess
Opioid-Induced Constipation (OIC)	Amitiza, Lubiprostone (M), Movantik, Relistor	Symproic
Inflammatory Bowel Disease	Dipentum	balsalazide, mesalamine, Apriso
	Ortikos	budesonide ER
Laxatives	Golytely packets	gavilyte-C, gavilyte-H, peg 3350

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>GASTROINTESTINAL</b>		
Laxatives	Osmoprep, Plenvu	Clenpiq, Gavilyte, PEG 3350, Prepopik, Suprep
Pancreatic Enzymes	Pancreaze, Pertzye, Viokace	Creon, Zenpep
Proton pump inhibitors	omeprazole with sodium bicarbonate (cap, powder pak), Rabeprazole sprinkle cap (M)	esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, Aciphex Sprinkle caps, Dexilant
<b>HEMATOLOGICAL</b>		
Erythropoiesis-Stimulating Agents	Epogen, Procrit	Aranesp, Retacrit
Immune globulin, intravenous (IVIG)	Asceniv <sup>1</sup> , Panzyga <sup>1</sup>	Please talk to your doctor about clinically appropriate options.
Immune globulin, subcutaneous (SCIG)	Cutaquig <sup>1</sup>	Please talk to your doctor about clinically appropriate options.
Long-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)	Fulphila, Nyvepria, Udenyca	Neulasta, Ziextenzo
Short-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)	Granix, Neupogen	Nivestym, Zarxio
<b>IMMUNOMODULATORS</b>		
Folate Analog Metabolic Inhibitor	Reditrex	methotrexate, Rasuvo
Interleukin-17 (IL-17) Inhibitor	Cosentyx <sup>1</sup>	Taltz
JAK Inhibitor	Olumiant <sup>1</sup>	Rinvoq, Xeljanz, Xeljanz XR
TNF inhibitor	Remicade, Renflexis	Avsola, Inflectra
<b>IMMUNOTHERAPY</b>		
Oral	Palforzia	Please talk to your doctor about clinically appropriate options.
<b>OPHTHALMIC</b>		
Antiglaucoma Drugs	Vyzulta, Zioptan	latanoprost ophthalmic solution, travoprost ophthalmic solution, Lumigan
	Timoptic Ocudose 0.25%	timolol ophthalmic solution
Antihistamines	Lastacaft, Pazeo, Zerviate	azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>OPHTHALMIC</b>		
Dry Eye Disease	Cequa	Restasis, Xiidra
Non-steroidal Anti-Inflammatory Agents	Bromsite, Ilevro, Nevanac	bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa
Wet Age-related Macular Degeneration	Beovu	ophthalmic bevacizumab (compound), Eylea, Lucentis, Macugen
<b>OTHER</b>		
Antigout Agents	Colchicine capsule (M), Colcrys, Gloperba, Mitigare	colchicine tablet
Antihistamines and combinations	Clarinet-D	desloratadine, pseudoephedrine
Bile Acid Therapy	Reltone	ursodiol
Coagulation factors	Sevenfact	Novoseven
Corticosteroid nasal sprays	Xhance	mometasone furoate, Beconase AQ
Cortisol Synthesis Inhibitors	Isturisa	ketoconazole tabs, Korlym
Diabetic Gastroparesis	Gimoti	metoclopramide
Duchenne Muscular Dystrophy (DMD)	Viltepso	dexamethasone, methylprednisolone
Lambert-Eaton Myasthenic Syndrome (LEMS)	Firdapse	Ruzurgi
Long-Chain Fatty Acid Oxidation Disorders (LC-FAOD)	Dojolvi	Please talk to your doctor about clinically appropriate options.
Multivitamins	<b>Examples:</b> Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite	Any preferred multivitamin
Neurogenic Detrusor Overactivity (NDO)	Vesicare LS	oxybutynin
Obesity	Contrave	phentermine, Qsymia, Saxenda

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>OTHER</b>		
Opioid Reversal Agents	Evzio, Lifems Naloxone, Naloxone auto-Injector (M)	naloxone, Narcan
Osteoarthritis/Hyaluronic acid injections	Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Sodium Hyaluronate, Supartz FX, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3	Durolane, Euflexxa, Gelsyn-3
Osteoporosis	Forteo	Teriparatide, Tymlos
Platelet-Modifying Agent	Aspirin/Omeprazole (M), Yosprala	aspirin, omeprazole
Prenatal vitamins	<b>Examples:</b> Azesco, Pregenna, Prenate, Trinaz, Vitafof FE, Vitathely, Zalvit	Any preferred prenatal vitamin
Sickle Cell Anemia	Oxbryta	hydroxyurea
Somatostatin Analog	Bynfezia Pen, Mycapssa	octreotide injection
	Signifor (SQ)	Signifor LAR
Thyroid Agents	Levothyroxine caps (M), Thyquidity, Tirosint caps, solution	levothyroxine
<b>RESPIRATORY</b>		
COPD: Inhaled Anticholinergics	Incruse Ellipta, Seebri, Tudorza	Spiriva
COPD: Long-Acting Beta Agonist/Long-Acting Muscarinic Agonist Combination inhalers	Bevespi, Duaklir, Utibron	Anoro Ellipta, Stiolto Respimat
Cystic Fibrosis	Cayston, Kitabis Pak, Tobramycin Neb 300mg/5ml (M)	tobramycin nebulizer soln, TOBI podhaler
Pulmonary Anti-Inflammatory Inhalers	Alvesco, Asmanex, Asmanex HFA, QVAR Redihaler	Arnuity Ellipta, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler
Pulmonary Anti-Inflammatory, Long-Acting Beta Agonist Combination Inhalers	Airduo Digihaler, AirDuo Respiclick, Armonair Digihaler, Budesonide/Formoterol (M), Dulera	Advair Diskus, Advair HFA, Breo Ellipta, Symbicort
Short-Acting Beta-2 Adrenergic Inhalers	Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Proair Digihaler, Proventil HFA, Xopenex HFA	Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco)

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic Category	Excluded Medications	Preferred Alternatives
<b>UROLOGICAL</b>		
Erectile Dysfunction Oral Agents	Stendra	sildenafil
Interstitial Cystitis	Elmiron	amitriptyline, hydroxyzine
Overactive Bladder (OAB)	Gemtesa	oxybutynin, tolterodine, trospium, Myrbetriq

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

Abilify	Cortef	K-tab	Pred Forte	Timoptic
Acanya	Cosopt solution	Kuvan	Prevacid	Timoptic Ocudose 0.5%
Aciphex tablet	Cosopt PF solution	Lamictal chewable	Prinivil	Timoptic-XE
Acticlate	Cozaar	Lamictal starter kit	Pristiq	TOBI nebulizer solution
Aczone 5%	Crestor	Lamictal ODT	Prometrium	Tobradex suspension
Adcirca	Cymbalta	Lamictal tab	Propecia	Topamax
Adderall	Cytomel	Lamictal XR	Protonix tab	Topamax sprinkle cap
Adderall XR	Delestrogen injection	Lasix	Provigil	Topicort spray
Adipex-P	20mg/ml, 40mg/ml	Latisse	Prozac	Toprol XL
Afinitor 2.5,5,7.5mg	Delzicol	Lescol XL	Pulmicort inhalation suspension	Tracleer 62.5,125mg
Alphagan P 0.15%	Depakote	Letairis	Qudexy XR	Treximet
Altace	Depakote ER	Levitra	Questran	Tribenzor
Ambien	Depakote sprinkle cap	Lexapro	Questran Light	Tricor
Ambien CR	Depo-testosterone injection	Lialda	Ranaxa	Trileptal
Amrix	Desonate gel	Lidoderm	Relafen	Truvada <sup>2</sup>
Androgel	Differin cream, gel	Lipitor	Relpax	Tylenol/cod tab
Arimidex	Dilantin cap 100mg	Loestrin 21	Remodulin injection	Uceris tab
Arthrotec	Dilantin chewable	Loestrin FE	Renagel	Ultracet
Asacol HD	Dilantin suspension	Lotemax suspension	Restoril	Ultram
Atacand	Dilaudid	Lotrel	Retin-A	Vagifem
Ativan	Diovan	Lovaza	Retin-A micro gel 0.04%, 0.1%	Valium
Atripla <sup>1</sup>	Diovan HCT	Lunesta	Risperdal solution, tablet	Valtrex
Avapro	Doryx tab 50, 200mg	Lyrica	Ritalin	Vanadom
Avodart	Duragesic	Maxalt	Ritalin LA	Vectical
Azor	Dyazide	Maxalt-MLT	Roxicodone	Vesicare
Baraclude	Effexor XR	Metrogel	Sabril	Viagra
Benicar	Elidel	Micardis	Safyral	Vigamox
Benicar HCT	Epiduo gel	Micardis HCT	Sandostatin injection	Vimovo
Benzaclin	EpiPen Jr 0.15mg	Minastrin	Saphris	Vivelle-Dot
Benzamycin	Estrace	Mobic	Seasonique	Volgelxo
Bepreve	Evekeo	Moviprep	Sensipar	Vytorin
Bethkis	Exforge	MS Contin	Seroquel	Welchol
Beyaz	Exforge HCT	Nalfon	Seroquel XR	Wellbutrin SR
Brisdelle	Fioricet	Nasonex	Silvadene	Wellbutrin XL
Butrans	Fioricet w/ codeine	Natroba	Singulair	Xalatan
Canasa	Flomax	Neurontin	Skelaxin	Xanax
Carafate	Focalin	Nexium capsule	Solodyn	Xanax XR
Carbatrol	Focalin XR	Niaspan ER	Soma	Yasmin 28
Cardizem LA	Fortamet	Nitrostat	Staxyn	Yaz
180,240,300,360,420mg	Fortesta	Norvasc	Strattera	Zanaflex
Carnitor solution, tablet	Generess FE chewable	Nulytely	Suboxone	Zegerid
Catapres-TTS patch	Gleevec	Nuvigil	Synthroid	Zestril
Celebrex	Glumetza	Onfi	Taclonex ointment	Zetia
Celexa	Golytely solution	Oracea	Tamifu	Ziana
Cialis	Halog cream	Ortho Micron	Targadox	Zocor
Ciprodex	Hyzaar	Ortho-Tri-Cyclen Lo	Targretin	Zohydro ER
Clarinex 5mg tab	Imitrex	Ortho-Novum	Tazorac cream 0.1%	Zolof
Climara patch	Inderal LA	Pataday	Tecfidera	Zomig tab
Clobex	Intuniv	Patanol	Tegretol	Zomig ZMT
Cloderm	Kenalog spray	Paxil tab	Tegretol-XR	Zonegran
Colestid	Kenalog-40 Injection	Paxil CR	Tenormin	Zovirax
Concerta	Keppra	Percocet	Testim gel	Zyclusa cream 3.75%
Coreg	Keppra XR	Plaquenil	Tikosyn	Zyprexa
Coreg CR	Klonopin	Plavix		Zytiga
		Pravachol		

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Required Prior Authorization +

Therapeutic Class	Non-Preferred Medications	Preferred Medications
Hepatitis C	All other brands non-preferred with prior authorization	Epclusa, Harvoni, Mavyret, Vosevi
Multiple Sclerosis	All other brands non-preferred with prior authorization	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
Immunomodulators	All other brands non-preferred with prior authorization	Avsola, Cimzia, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR

\* All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

**About this document:** Where differences exist between this formulary and your benefit plan documents, the benefit plan documents rule. This may not be a complete list of medications, and not all medications listed may be covered by your plan. Please look at the benefit plan documents provided by your employer or plan sponsor for full details.



© 2021 Optum, Inc. All rights reserved. OR100-7555 All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.