

# Jan. 1, 2023 Premium Formulary Exclusions and Preferred Specialty Prior Authorization Requirements

Therapeutic category/ disease state	Excluded medications		Formulary alternative medications
<b>Allergic reactions</b>			
Anaphylaxis treatment	Auvi-Q (0.15mg, 0.3mg)		epinephrine injection (0.15mg, 0.3mg)
<b>Analgesics</b>			
Non-steroidal anti-inflammatory agents	Oral	Cambia, Diclofenac Cap 35mg (M), Zorvolex	celecoxib, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin
		Qmiiz ODT	meloxicam
		Relafen DS	nabumetone
	Other	Ketorolac Nasal Spray (M), Sprix Nasal Spray	diclofenac, ibuprofen, meloxicam
	Topical	Diclofenac Patch (M), Flector, Licart	Any preferred/generic oral non-steroidal anti-inflammatory agent (examples: flurbiprofen, ibuprofen, ketoprofen, meloxicam, naproxen)
		Voltaren gel	diclofenac gel/solution
Opioid analgesics	Combinations	Apadaz, Benzhydrocodone/ acetaminophen	hydrocodone/acetaminophen, oxycodone/ acetaminophen
		Seglentis	tramadol, celecoxib
	Oral Long-Acting	Nucynta ER, Oxycodone ER (M)	hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER
		Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M)	tramadol ER

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>		<b>Formulary alternative medications</b>
<b>Opioid analgesics</b>	Oral Short-Acting	Nucynta	codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl
		Qdolo, Tramadol solution (M)	tramadol tablet
	Transmucosal Fentanyl Analgesics	Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys	fentanyl citrate lozenge
<b>Skeletal muscle relaxants</b>	Norgesic, Norgesic Forte, Orphengesic Forte (M)		orphenadrine tab, aspirin
<b>Spasticity</b>	Baclofen solution 5mg/5ml (M), Fleqsuvy, Ozobax		baclofen tablet
<b>Antianxiety agents</b>			
<b>Antianxiety agents</b>	Loreev XR		clonazepam, diazepam, lorazepam, oxazepam, temazepam
<b>Antibacterials</b>			
<b>Oral antibiotics</b>	Doryx 80mg, Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira		doxycycline, minocycline
	Lympak		doxycycline
	Xifaxan 200 mg tab		Please talk to your doctor about clinically appropriate options.
<b>Vaginal anti-infectives</b>	Cleocin vaginal suppositories, Nuvessa gel		clindamycin vaginal cream, metronidazole vaginal gel
<b>Anticonvulsants</b>			
<b>Seizure disorders</b>	Elepsia XR <sup>1</sup>		levetiracetam
	Eprontia <sup>1</sup>		topiramate sprinkle
	Lamictal ODT Kit <sup>1</sup>		lamotrigine ODT
	Oxtellar XR <sup>1</sup>		oxcarbazepine IR
<b>Antidepressants</b>			
<b>Antidepressants</b>	Bupropion XL (M) <sup>1</sup> , Forfivo XL <sup>1</sup>		bupropion XL
	Sertraline Cap <sup>1</sup>		sertraline tab
<b>Antifungals, oral</b>			
<b>Oral antifungals</b>	Brexafemme		fluconazole tab
	Tolsura		itraconazole cap
<b>Antimigraines</b>			
<b>CGRP antagonists</b>	Emgality 120 mg/ml		amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Ajovy
<b>Ergotamine derivative (alpha)</b>	Trudhesa		dihydroergotamine
<b>Non-steroidal anti- inflammatory agents</b>	Elyxyb		eletiptan, frovatriptan, rizatriptan, sumatriptan, zolmitriptan

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Serotonin receptor agonists</b>	Onzetra Xsail, Tosymra, Zembrace Symtouch	rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT
	Revvow	Nurtec ODT, Ubrelvy
<b>Anti-Parkinson's agents</b>		
<b>Parkinson's disease</b>	Dhivy	carbidopa/levodopa IR, carbidopa/ levodopa ODT
	Gocovri, Osmolex ER	amantadine
<b>Antipsychotics</b>		
<b>Atypical antipsychotics</b>	Lybalvi <sup>1</sup>	aripiprazole, asenapine, clozapine, olanzapine, paliperidone ER, quetiapine ER/IR, risperidone, ziprasidone
	Secuado <sup>1</sup>	aripiprazole, asenapine, olanzapine, paliperidone ER, quetiapine ER/IR, risperidone, ziprasidone
<b>Antivirals</b>		
<b>Hepatitis B drugs</b>	Vemlidy <sup>1</sup>	entecavir, tenofovir disoproxil fumarate
<b>Hepatitis C drugs</b>	Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M)	Epclusa, Harvoni, Mavyret, Vosevi
<b>HIV drugs</b>	Apretude	emtricitabine/tenofovir disoproxil fumarate
	Cabenuva <sup>1</sup> , Descovy <sup>2</sup> , Temixys <sup>1</sup> , Vocabria <sup>1</sup>	Please talk to your doctor about clinically appropriate options.
<b>Autonomic &amp; central nervous system</b>		
<b>Attention deficit disorder</b>	Adhansia XR	dexmethylphenidate ER, methylphenidate ER, Vyvanse
	amphetamine/dextroamphetamine ER cap	Adderall XR
	Adzenys XR, Cotempla XR-ODT, Daytrana, Dyanavel XR suspension, Mydayis, Quillichew ER, Quillivant XR, Zenedi 2.5 mg, 7.5 mg	amphetamine-dextroamphetamine IR, dexmethylphenidate IR/ER, dextroamphetamine IR/SR, methylphenidate IR/ER, Adderall XR, Azstarys, Vyvanse
	Qelbree	atomoxetine, clonidine ER, guanfacine ER
<b>Multiple sclerosis</b>	Extavia, Plegridy, Rebif, Rebif Rebidose	Avonex, Betaseron
	Ponvory	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
<b>Cardiovascular</b>		
<b>Cholesterol-lowering agents</b>	Ezetimibe/Rosuvastatin (M), Roszet	atorvastatin, ezetimibe, rosuvastatin, simvastatin
	Livalo, Zypitamag	atorvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin
	Leqvio, Praluent	Repatha

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Edema</b>	Sooanz	bumetanide, furosemide, torsemide
<b>Hypertension</b>	Conjupri, Levamlodipine (M), Katerzia	amlodipine
	Inderal XL, Innopran XL	propranolol ER
	Kapspargo	metoprolol ER
<b>Hypertension with osteoarthritis</b>	Consensi	amlodipine, celecoxib
<b>Chemotherapy agents</b>		
<b>Alkylating agents</b>	Belrapzo, Treanda	Bendeka
<b>Antiandrogens</b>	Yonsa	Xtandi
<b>Asparaginase enzyme therapy agents</b>	Rylaze	Oncaspar
<b>Combination agents</b>	Inqovi	Please talk to your doctor about clinically appropriate options.
<b>Cytolytic antibodies</b>	Riabni, Truxima	Ruxience
<b>HER-2 inhibitors</b>	Herzuma, Ogviri, Ontruzant	Kanjinti, Phesgo, Trazimera
<b>Kinase inhibitors</b>	Fotivda	Please talk to your doctor about clinically appropriate options.
	Pemazyre	Truseltiq
	Rezurock	Imbruvica, Jakafi
	Tepmetko	Tabrecta
<b>Methyltransferase inhibitors</b>	Tazverik	Please talk to your doctor about clinically appropriate options.
<b>Miscellaneous</b>	Besremi	hydroxyurea, Pegasys
	Darzalex Faspro	Please talk to your doctor about clinically appropriate options.
<b>PARP inhibitors</b>	Rubraca <sup>1</sup>	Lynparza, Zejula
	Talzenna <sup>1</sup>	Lynparza
<b>Contraceptives</b>		
<b>Gel</b>	Phexxi	Please talk to your doctor about clinically appropriate options.
<b>Oral</b>	Lo Loestrin FE	junel FE, larin FE, microgestin FE, tarina FE
	Nextststellis	drospirenone/ethinyl estradiol, loryna, nikki, Natazia
	Slynd	camila, incassia, nora-be, norethindrone, norlyda, norlyroc
<b>Patch</b>	Twirla	levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane, zafemy
<b>Corticosteroids</b>		
<b>Oral steroids</b>	Alkindi Sprinkle	hydrocortisone
	Hemady	dexamethasone
	Rayos	prednisone

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Dermatological agents</b>		
<b>Atopic dermatitis</b>	Opzelura	betamethasone, fluocinolone, halobetasol, hydrocortisone, pimecrolimus, tacrolimus oint, triamcinolone, Eucrisa
<b>Topical acne treatment</b>	Akliel, Clindagel, Veltin	adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Amzeeq, Epiduo Forte, Onexton, Twyneo
	Arazlo, Fabior, Tazorac cream 0.05%; Tazorac gel 0.05%, 0.1%; Tazarotene foam 0.1%	tazarotene cream
	Avita, Differin lotion	adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08%
	Winlevi	adapalene, clindamycin, dapsone, tazarotene cream, tretinoin cream
<b>Topical anesthetics</b>	ZTlido	lidocaine patch
<b>Topical antifungals</b>	Jublia	ciclopirox, tavaborole, terbinafine
<b>Topical anti-infectives</b>	Noritate cream	azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lotion, Finacea foam, Soolantra
<b>Topical corticosteroids</b>	ALA scalp lotion	hydrocortisone
	Apexicon E cream	fluocinonide, betamethasone
	Capex shampoo	fluocinolone acetonide scalp oil, Derma-Smoothe/FS
	Cordran tape	flurandrenolide
	Halobetasol foam (M), Lexette	betamethasone, clobetasol, halobetasol cream/ointment
	Halog ointment	betamethasone, mometasone, triamcinolone
	Impeklol lotion	augmented betamethasone dipropionate, clobetasol
	Impoyz cream	clobetasol
	Pandel cream	flurandrenolide, hydrocortisone valerate, triamcinolone acetonide
	Trianex ointment 0.05%	hydrocortisone valerate, triamcinolone acetonide
	Ultravate lotion	clobetasol propionate, fluocinonide, halobetasol propionate
	Verdeso foam	betamethasone, fluocinolone

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Topical plaque psoriasis</b>	Calcipotriene foam 0.005% (M), Sorilux	calcipotriene
	Duobrii lotion	clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar
	Wynzora	calcipotriene, calcipotriene/betamethasone, Enstilar, Taclonex suspension
<b>Diabetes</b>		
<b>Anti-hyperglycemic agents</b>	Glucagen Hypokit, Gvoke Hypopen, Gvoke Kit, Gvoke PFS	glucagon (generic), Baqsimi, Glucagon (made by Fresenius), Zeglogue
<b>Blood glucose meters, test strips and control solutions</b>	<b>Examples:</b> Abbott (FreeStyle, Precision), Arkray (Glucocard), Lifescan (Onetouch), Trividia (TRUEtest, TRUEtrack), Roche (Accu-Chek)	Ascensia (Contour, Contour Next)
<b>Continuous glucose monitoring (CGM)</b>	Freestyle Libre	Dexcom
<b>Blood sugar regulators miscellaneous</b>	metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release	metformin ER
<b>Dipeptidyl peptidase-4 (DPP4) inhibitors and combinations</b>	Alogliptin (M), Alogliptin with metformin (M), Alogliptin with pioglitazone (M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni	Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta
<b>Basal insulins</b>	Basaglar, Insulin Glargine, Insulin Glargine-YFGN, Levemir, Semglee, Semglee-YFGN, Tresiba	Lantus, Toujeo
<b>Glucagon-like peptide-1 (GLP1) agonists</b>	Adlyxin	Bydureon, Bydureon BCise, Byetta, Ozempic, Rybelsus, Trulicity, Victoza
<b>Insulins</b>	Novolin, Novolin Relion	Humulin
<b>Rapid-acting insulins</b>	Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog, Novolog Relion	Humalog, Lyumjev
<b>Sodium-glucose co-transporter (SGLT2) inhibitors - single agent</b>	Invokana, Steglatro	Farxiga, Jardiance
<b>Sodium-glucose co-transporter (SGLT2) inhibitors - combination agents</b>	Invokamet, Invokamet XR, Segluromet	Syndjardy, Syndjardy XR, Xigduo XR
<b>SGLT2 and DPP4 combinations</b>	QTERN, Steglujan	Glyxambi, Trijardy XR
<b>Endocrine (other)</b>		
<b>Cortisol synthesis inhibitors</b>	Isturisa	ketoconazole tabs, Korlym
<b>Cushing's Syndrome</b>	Recorlev	ketoconazole tab
<b>Growth hormones</b>	Genotropin, Humatrop, Omnitrope, Saizen, Skytrofa, Zomacton	Norditropin, Nutropin

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Infertility</b>	Gonal-F, Gonal-F RFF Cetrotide	Follistim AQ ganirelix (made by Organon)
<b>Somatostatin analog</b>	Lanreotide Mycapssa Signifor (SQ)	Somatuline Depot octreotide injection Signifor LAR
<b>Testosterone replacement</b>	Aveed, Jatenzo, Natesto, Testopel	testosterone, Androderm, Xyasted
<b>Enzyme disorders</b>		
<b>Duchenne muscular dystrophy (DMD)</b>	Amondys 45, Exondys 51, Vyondys 53	dexamethasone, methylprednisolone, prednisone
<b>Gastrointestinal</b>		
<b>Anti-diarrheal agents</b>	Motofen	diphenoxylate/atropine, loperamide
<b>Antiemetics</b>	Sancuso patch	gransetron solution/tablet, ondansetron ODT
<b>Anti-inflammatory, anti-ulcer agents</b>	ibuprofen/famotidine, Duexis	famotidine, ibuprofen
<b>Irritable bowel syndrome with constipation/chronic idiopathic constipation (IBS-C/CIC)</b>	Amitiza, Lubiprostone (M), Trulance	Linzess
<b>Opioid-induced constipation (OIC)</b>	Amitiza, Lubiprostone (M), Movantik, Relistor	Symproic
<b>Inflammatory bowel disease</b>	Dipentum  mesalamine cap 0.375gm ER  mesalamine tab 1.2gm DR  Ortikos	balsalazide, mesalamine DR cap 400mg, Apriso, Lialda  Apriso  Lialda  budesonide ER
<b>Laxatives</b>	Osmoprep, Plenvu	gavilyte, peg 3350, Clenpiq, Suprep
<b>Pancreatic enzymes</b>	Pancreaze, Pertzye, Viokace	Creon, Zenpep
<b>Peptic ulcers</b>	Dartisla ODT	glycopyrrolate
<b>Proton pump inhibitors</b>	omeprazole with sodium bicarbonate (cap, powder pak), Dexlansoprazole DR (M), Rabeprazole sprinkle cap (M)	esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, rabeprazole, Dexilant
<b>Hematological</b>		
<b>Coagulation factors</b>	Sevenfact <sup>1</sup>	Novoseven
<b>Cyclin-dependent kinase inhibitor</b>	Cosela	Nivestym, Zarzio
<b>Erythropoiesis-stimulating agents</b>	Epogen	Aranesp, Procrit, Retacrit
<b>Hemophilia A</b>	Esperoct <sup>1</sup>	Adynovate, Afystyla, Eloctate, Jivi

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Long-acting granulocyte-colony stimulating factor (G-CSFS)</b>	Fulphila, Nyvepria, Udenyca	Neulasta, Zixtenzo
<b>Short-acting granulocyte-colony stimulating factor (G-CSFS)</b>	Granix, Neupogen	Nivestym, Zarxio
<b>Immunomodulators</b>		
<b>Calcineurin inhibitor</b>	Lupkynis	Benlysta
<b>Folate analog metabolic inhibitor</b>	Otrexup, Reditrex	methotrexate, Rasuvo
<b>Immune globulin, intravenous (IVIG)</b>	Asceniv, Panzyga	Gammagard, Gammaplex, Gamunex-C, Privigen
<b>Immune globulin, subcutaneous (SCIG)</b>	Cutaquig	Cuvitru, Hizentra, Xembify
<b>Interleukin-17 (IL-17) inhibitor</b>	Cosentyx	Taltz
<b>JAK inhibitor</b>	Olumiant	Rinvoq, Xeljanz, Xeljanz XR
<b>TNF inhibitor</b>	Infliximab, Remicade, Renflexis	Avsola, Inflectra
<b>Immunotherapy</b>		
<b>Oral</b>	Palforzia	Please talk to your doctor about clinically appropriate options.
<b>Ophthalmic</b>		
<b>Antiglaucoma drugs</b>	Timoptic OcuDose 0.25%	timolol ophthalmic solution
	Vyzulta, Zioptan	latanoprost ophthalmic solution, travoprost ophthalmic solution, Lumigan
<b>Antihistamines</b>	Zerviate	azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution
<b>Dry eye disease</b>	Cequa	Restasis, Xiidra
	cyclosporine ophthalmic emulsion	Restasis
<b>Non-steroidal anti- inflammatory agents</b>	Bromsite, Ilevro, Nevanac	bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa
<b>Presbyopia</b>	Vuity	Please talk to your doctor about clinically appropriate options.
<b>Wet age-related macular degeneration</b>	Beovu	ophthalmic bevacizumab (compound), Eylea, Lucentis, Macugen

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Other</b>		
<b>Alzheimer's disease</b>	Aduhelm	Please talk to your doctor about clinically appropriate options.
<b>Amyotrophic lateral sclerosis (ALS)</b>	Exservan	riluzole
<b>ANCA-associated vasculitis</b>	Tavneos	Please talk to your doctor about clinically appropriate options.
<b>Antigout agents</b>	Colchicine capsule (M), Colcrys, Gloperba, Mitigare	colchicine tablet
<b>Antihistamines and combinations</b>	Clarinet-D	desloratadine, pseudoephedrine
<b>Bile acid therapy</b>	Livmarli	Please talk to your doctor about clinically appropriate options.
	Reltone, Ursodiol (M)	ursodiol
<b>Chelating agents</b>	penicillamine cap	penicillamine tab, Depen Titra
<b>Diabetic gastroparesis</b>	Gimoti	metoclopramide
<b>Duchenne muscular dystrophy (DMD)</b>	Viltepso	dexamethasone, methylprednisolone
<b>Iron replacement therapy</b>	Accrufer	ferrous fumarate, ferrous gluconate, ferrous sulfate
<b>Lambert-Eaton Myasthenic Syndrome (LEMS)</b>	Firdapse	Ruzurgi
<b>Long-chain fatty acid oxidation disorders (LC-FAOD)</b>	Dojolvi	Please talk to your doctor about clinically appropriate options.
<b>Multivitamins</b>	<b>Examples:</b> Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite	Any preferred multivitamin
<b>Obesity</b>	Contrave	phentermine, Qsymia, Saxenda, Wegovy
	Imcivree	Please talk to your doctor about clinically appropriate options.
<b>Opioid reversal agents</b>	Lifems Naloxone	naloxone, Kloxxado, Narcan
<b>Osteoarthritis/ hyaluronic acid injections</b>	Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3	Durolane, Euflexxa, Gelsyn-3
<b>Osteoporosis</b>	Forteo	Teriparatide, Tymlos
<b>Phosphate binders</b>	Auryxia	calcium acetate, lanthanum carbonate, sevelamer, Velphoro
<b>Platelet-modifying agent</b>	Aspirin/Omeprazole (M), Yosprala	aspirin, omeprazole
<b>Polycystic kidney disease</b>	Jynarque	Please talk to your doctor about clinically appropriate options.

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Prenatal vitamins</b>	<b>Examples:</b> Azesco, Pregenna, Prenate, Trinaz, Vitafol FE, Vitathely, Zalvit	Any preferred prenatal vitamin
<b>Proteinuria</b>	Tarpeyo	budesonide, methylprednisolone, prednisone
<b>Sickle cell disease</b>	Oxbryta	hydroxyurea
<b>Sleep disturbance agents</b>	Hetlioz, Hetlioz LQ	Please talk to your doctor about clinically appropriate options.
<b>Thyroid agents</b>	Levothyroxine caps (M), Thyquidity, Tirosint caps, solution	levothyroxine
<b>Respiratory</b>		
<b>Allergy: nasal steroids</b>	Xhance	mometasone furoate, Beconase AQ
<b>COPD: inhaled anticholinergics</b>	Incruse Ellipta, Tudorza	Spiriva
<b>COPD: long-acting beta agonist/long- acting muscarinic agonist combination inhalers</b>	Bevespi, Duaklir	Anoro Ellipta, Stiolto Respimat
<b>Cystic fibrosis</b>	Cayston, Kitabis Pak, Tobramycin Neb 300mg/5ml (M)	tobramycin nebulizer soln, TOBI podhaler
<b>Miscellaneous</b>	Tezspire	Please talk to your doctor about clinically appropriate options.
<b>Pulmonary anti- inflammatory inhalers</b>	Alvesco, Armonair Digihaler, Asmanex, Asmanex HFA, Fluticasone Propionate HFA (M), QVAR Redihaler	Arnuity Ellipta, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler
<b>Pulmonary anti- inflammatory, long- acting beta agonist combination inhalers</b>	Airduo Digihaler, AirDuo Respiclick, Budesonide/Formoterol (M), Dulera, Fluticasone Furoate/Vilanterol (M), Fluticasone/Salmeterol 55mcg/14, 113mcg/14, 232mcg/14 (M)	Advair Diskus, Advair HFA, Breo Ellipta, Symbicort
<b>Pulmonary Anti- Inflammatory, Long- Acting Beta Agonist Combination Inhalers</b>	fluticasone-salmeterol 100mcg/50, 250mcg/50, 500mcg/50, wixela	Advair Diskus
<b>Short-acting beta-2 adrenergic inhalers</b>	Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Pro Air Digihaler, Pro Air HFA, Pro Air Respiclick, Proventil HFA, Ventolin HFA, Xopenex HFA	Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco)
<b>Sugar alcohol inhalation therapy</b>	Bronchitol	hypertonic saline, Pulmozyme

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Urological</b>		
<b>Erectile dysfunction oral agents</b>	Stendra	sildenafil
<b>Interstitial cystitis</b>	Elmiron	amitriptyline, hydroxyzine
<b>Overactive bladder (OAB)</b>	Gemtesa	darifenacin ER, fesoterodine, oxybutynin ER/IR, solifenacina, tolterodine ER/IR, trospium ER/IR, Myrbetriq tablet
	Myrbetriq Granules, Vesicare LS	oxybutynin ER/IR

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

Abilify	Combigan	Keptra	Prometrium	Tobradex suspension
Absorica	Concerta	Keptra XR	Propecia	Topamax
Acanya	Coreg	Klonopin	Protonix tab	Topamax sprinkle cap
Aciphex tablet	Coreg CR	K-tab	Provigil	Topicort spray
Acticlate	Cortef	Kuvan	Prozac	Toprol XL
Aczone	Cosopt solution	Lamictal chewable	Psorcon cream	Toviaz
Adcirca	Cosopt PF solution	Lamictal starter kit	Pulmicort inhalation suspension	Tracleer 62.5,125mg
Adderall	Cozaar	Lamictal ODT	Qudexy XR	Travatan-Z
Adipex-P	Crestor	Lamictal tab	Questa	Treximet
Afinitor	Cuprimine	Lamictal XR	Questa Light	Tribenzor
Afinitor Disperz	Cymbalta	Lasix	Ranexa	Tricor
Alphagan P 0.15%	Cytomel	Latisse	Relafen	Trileptal
Altace	Delestrogen injection 20mg/ml, 40mg/ml	Lescol XL	Relpax	Truvada
Ambien	Delzicrol	Letairis	Remodulin injection	Uceris tab
Ambien CR	Depakote	Lexapro	Renagel	Ultracet
Amrix	Depakote ER	Lidoderm	Restoril	Vagifem
Androgel	Depakote sprinkle cap	Lipitor	Retin-A	Valium
Arimidex	Depo-testosterone injection	Loestrin 21	Retin-A micro gel 0.04%, 0.1%	Valtrex
Arthrotec	Depo-testosterone injection	Loestrin FE	Lotemax suspension	Vanadom
Asacol HD	Differin cream, gel	Lotrel	Risperdal solution, tablet	Vectal
Atacand	Dilantin cap 100mg	Lovaza	Ritalin	Vesicare tab
Ativan	Dilantin chewable	Lunesta	Ritalin LA	Viagra
Atripla	Dilantin suspension	Lyrica	Roxicodone	Vigamox
Avapro	Dilauidid	Lyrica CR	Sabril	Vimovo
Avodart	Diovan	Maxalt	Safyril	Vimpat
Azopt	Diovan HCT	Maxalt-MLT	Sandostatin injection	Vivelle-Dot
Azor	Doryx tab 50, 200mg	Metrogel	Saphris	Volgelxo
Baraclude	Effexor XR	Micardis	Seasonique	Vytorin
Benicar	Elidel	Micardis HCT	SensiPar	Welchol
Benicar HCT	Epiduo gel	Minastrin	Seroquel	Wellbutrin SR
Benzacllin	EpiPen Jr 0.15mg	Mobic	Seroquel XR	Wellbutrin XL
Benzamycin	Esbriet	Moviprep	Silvadene	Xalatan
Bepreve	Estrace	MS Contin	Singulair	Xanax
Bethkis	Evekeo	Nalfon	Skelaxin	Xanax XR
Beyaz	Exforge	Nasonex	Solodyn	Yasmin 28
Bridselle	Exforge HCT	Natroba	Soma	Yaz
Brovana	Fioricet	Neurontin	Strattera	Zanaflex
Butrans	Fioricet w/ codeine	Nexium capsule	Suboxone	Zegerid
Bystolic	Firazyry	Niaspan ER	Sutent	Zenzedi 5, 10, 15, 20, 30 mg
Canasa	Flomax	Nitrostat	Synthroid	Zestril
Carafate	Focalin	Norvasc	Taclonex ointment	Zetia
Carbatrol	Focalin XR	Nulytely	Tamiflu	Ziana
Cardizem LA 180, 240, 300, 360, 420mg	Fortesta	Nuvigil	Targadox	Zipsor
Carnitor solution, tablet	Generess FE chewable	Onfi	Targretin	Zocor
Catapres-TTS patch	Gleevec	Oracea	Tazorac cream 0.1%	Zoloft
Celebrex	Glucagon kit (Lilly)	Paxil tab	Tecfidera	Zomig tab
Celexa	Glumetza	Paxil CR	Tegretol	Zomig ZMT
Cialis	Golytely solution	Pennsaid	Tegretol-XR	Zonegran
Ciprodex	Halog cream	Pentasa 500 mg	Tenormin	Zovirax
Clarinet 5mg tab	Hyzaar	Percocet	Testim gel	Zyclara 3.75%
Cleocin vaginal cream	Imitrex	PlaqueNIL	Tikosyn	Zyprexa
Climara patch	Inderal LA	Plavix	Timoptic	Zytiga
Clobex	Intuniv	Pred Forte	Timoptic Ocudose 0.5%	
Cloderm	Kenalog-40 Injection	Prevacid	Timoptic-XE	
Colestid	Kenalog spray	Prinivil	TOBI nebulizer solution	

## Required Prior Authorization

All of the products listed below are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA approval for use.

Therapeutic Class	Non-Preferred Medications	Preferred Medications
Hepatitis C	All other brands non-preferred with prior authorization	Epclusa, Harvoni, Mavyret, Vosevi
Multiple sclerosis	All other brands non-preferred with prior authorization	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
Immunomodulators	All other brands non-preferred with prior authorization	Avsola, Cimzia, Enbrel, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR

**About this document:** Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.



All Optum trademarks and logos are owned by Optum, Inc. in the U.S. and other jurisdictions. All other trademarks are the property of their respective owners.

© 2023 Optum, Inc. All rights reserved. WF9612968 3/23

Premium